EAST Search History

EAST Search History (Prior Art)

Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	38	YAMAMICHI near3 MASATO	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L2	26	YAMAMICHI near3 MASAMI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L3	21	YAMAMICHI near3 SATOMI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L4	32	YAMAMICHI near3 KEIKO	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L5	113	FUTA NEAR3 YUICHI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L6	200	OHMORI NEAR3 MOTOJI	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L7	146	TATEBAYASHI NEAR3 MAKOTO	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L8	128	(L1 L2 L3 L4 L5 L6 L7) and (error error-free)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L9	49	L8 and parameter$1 and (decrypt$4 decipher$8)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L10	48	L9 and encrypt$4	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L11	26	L10 and (public near3 key $1)	US-PGPUB; USPAT; IBM_TDB	OR	ON	2010/09/10 15:11

L12	14371	((726/1-6) or (726/18-19) or (726/27) or (726/30) or (380/1) or (380/229) or (380/255) or (380/259) or (380/37) or (380/42) or (380/281-285) or (380/28-30) or (713/179) or (713/182) or (713/189) or (705/50) or (714/48-49) or (714/51-52) or (714/699) or (714/701) or (714/746714/798) or (714/799)).CCLS.	USPAT; IBM_TDB	OR	OFF	2010/09/10 15:11
L13	1679	L12 and (error-free (free near3 error$1) (no$1 near3 error$2))	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L14	3	L3 and (error$1 near5 (decrypt$8 decipher$9))	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L15	2927	L12 and parameter$1 and error$8	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L16	98	L15 and (error$1 near5 (decrypt$8 decipher$9))	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L17	79	L16 and output$4	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L18	78	L17 and (encrypt$8 encipher$8 cipher$9)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L19	27	L18 and provision$2	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L20	27	L19 and key$1	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L21	686	parameter$1 near8 (error-free (free near3 error$1) (no$1 near3 error$2))	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L22	142	L21 and (error$1 near5 condition$1)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L23	36052	(generat$4 compos$3 calculat$4) near4 key$1	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L24	8	L22 and L23	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L25	1	parameter$1 near8 (error-free (free near3 error$1) (no$1 near3 error$2)) near8 (decrypt$8 decipher$9)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L26	100	(error-free (free near3 error$1) (no$1 near3 error$2)) near8 (decrypt$8 decipher$9)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11

L27	60	L26 and parameter$1	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L28	0	L27 and (lattice near3 constant$1)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L29	0	L26 and (lattice near3 constant$1)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L30	9929	(lattice near3 constant$1)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L31	1	L21 and L30	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L32	50	L26 and L23	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L33	50	L32 and (encrypt$8 encipher$8 cipher$9)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L34	50	L33 and (decrypt$8 decipher$9)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L35	1	L34 and (error$1 near5 condition$1)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L36	5	ntru and (error-free (free near3 error$1) (no$1 near3 error$2))	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L37	38	ntru and parameter$2 and error$1	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L38	1	L37 and (lattice near3 constant$1)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L39	1	ntru and (lattice near3 constant$1)	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11
L40	7	L37 and lattice$1	USPAT; IBM_TDB	OR	ON	2010/09/10 15:11

9/10/10 3:15:37 PM
C:\Documents and Settings\LHa\My Documents\EAST\Workspaces\10552586.wsp